

Journal of Microelectromechanical Systems

A Joint IEEE and ASME Publication on Microstructures, Microactuators, Microsensors, and Microsystems

APRIL 2003

VOLUME 12

NUMBER 2

JMIYET

(ISSN 1057-7157)

- 117 Controlled Multibatch Self-Assembly of Microdevices
 X. Xiong, Y. Hanein, J. Fang, Y. Wang, W. Wang, D. T. Schwartz,
 and K. F. Böhringer
- 128 Fabricating Capacitive Micromachined Ultrasonic Transducers With
 Wafer-Bonding Technology
 Y. Huang, A. S. Ergun, E. Hægström, M. H. Badi, and
 B. T. Khuri-Yakub
- 138 Integrated Micro-Heat-Pipe Fabrication Technology
 M. Lee, M. Wong, and Y. Zohar
- 147 Air-Channel Fabrication for Microelectromechanical Systems via
 Sacrificial Photosensitive Polycarbonates
 J. P. Jayachandran, H. A. Reed, H. Zhen, L. F. Rhodes, C. L. Henderson,
 S. A. B. Bidstrup Allen, and P. A. Kohl
- 160 Polycrystalline Silicon-Germanium Films for Integrated Microsystems
 A. E. Franke, J. M. Heck, T.-J. King, and R. T. Howe
- 172 Cubic Millimeter Power Inductor Fabricated in Batch-Type Wafer
 Technology
 M. Saidani and M. A. M. Gijs
- 179 Implantable Multichannel Electrode Array Based on SOI Technology
 K. C. Cheung, K. Djupsund, Y. Dan, and L. P. Lee
- 185 Novel Fabrication Method for Surface Micromachined Thin
 Single-Crystal Silicon Cantilever Beams
 A. Gupta, J. P. Denton, H. McNally, and R. Bashir
- 193 Characterization of Selective Polysilicon Deposition for MEMS
 Resonator Tuning
 D. Joachim and L. Lin



A JOINT IEEE/ASME PUBLICATION



- 201 A High-Flow Thermopneumatic Microvalve With Improved Efficiency and Integrated State Sensing
C. A. Rich and K. D. Wise
- 209 A Servo-Controlled Capacitive Pressure Sensor Using a Capped-Cylinder Structure Microfabricated by a Three-Mask Process
J.-S. Park and Y. B. Gianchandani
- 221 Soft-Magnetic Rotational Microwings in an Alternating Magnetic Field Applicable to Microflight Mechanisms
N. Miki and I. Shimoyama
- 228 COMS 2003—The 8th International Conference on the Commercialization of Micro and Nano Systems



This JOURNAL is a joint publication of the IEEE and ASME. Members of the IEEE Sponsoring Societies (Electron Devices, Industrial Electronics & Robotics and Automation) may subscribe to the JOURNAL for \$10.00 per year. Members of other IEEE Societies may subscribe for \$14.00 per year. *Member copies of Transactions/Journals are for personal use only.*

IEEE/ASME JOURNAL COORDINATING COMMITTEE

President: ALBERT P. PISANO (ASME/IEEE), *Treasurer:* JOSEPH M. GIACHINO (IEEE), *Secretary:* WILLIAM N. SHARPE, JR. (ASME)
CHIH MING HO (ASME), STEPHEN D. SENTURIA (IEEE), WILLIAM TRIMMER (ASME/IEEE), KENSALL D. WISE (IEEE)

EDITOR-IN-CHIEF

PROF. RICHARD S. MULLER
BSAC/EECS 1770
University of California
Berkeley, CA 94720-1770 USA
Ph: (510) 643-6690
Fax: (510) 525-9037
r.muller@ieee.org

SENIOR EDITORS

STEPHEN D. SENTURIA Weller Prof. of Elec. Eng. Room 39-567 Massachusetts Instit. of Technol. Cambridge, MA 02139 Ph: (617) 253-6869 sds@mtl.mit.edu	KENSALL D. WISE Ctr. Int. Sens. & Circ. Univ. of Michigan 1301 Beal Ave. Ann Arbor, MI 48109-2122 Ph: (734) 764-3346 wise@engin.umich.edu
---	---

EDITORS

DONG-IL "DAN" CHO Electr. Eng. & Comp. Sci. Seoul National University Kwanak-ku, Shinlim-dong Seoul 151-742, Korea Ph: 82 2 880 8371 dicho@asri.snu.ac.kr	FRED K. FORSTER Dept. of Mech. Eng., Rm. 132 University of Washington Campus Box 352600 Seattle, WA 98195-2600 Ph: (206) 543-4910 forster@u.washington.edu	THOMAS KENNY Dept. Mech. Eng. Stanford Univ. Terman Eng. Center Stanford, CA 94305-4021 Ph: (650) 725-3805 kenny@cdr.stanford.edu	ANTONIO J. RICCO 101 Bacigalupi Dr. Los Gatos, CA 95032 Ph: +1 (408) 460-5666 ajricco@attbi.com	OSAMU TABATA Dept. Mech. Eng. Faculty of Sci. and Eng. Ritsumeikan Univ. 1-1-1 Noji-higashi, Kusatsu-shi Shiga 525-77, Japan Ph: 81 77 561 2882 tabata@bkc.ritsumeik.ac.jp
NICO DE ROOIJ Univ. of Neuchatel Instit. of Microtechnol. Rue Jaquet-Droz 1 2007 Neuchatel, Switzerland Ph: 41 32 7205 303 nico.derooij@imt.unine.ch	HIROYUKI FUJITA IIS Univ. of Tokyo 4-6-1 Komaba, Meguro-ku Tokyo 153-8505, Japan Ph: 81 3 5452 6250 fujita@iis.u-tokyo.ac.jp	CHANG-JIN KIM MANE Dept. Univ. of California 38-137 Eng. IV 405 Hilgard Ave. Los Angeles, CA 90024 Ph: (310) 825-0267 cjkim@seas.ucla.edu	WILLIAM N. SHARPE, JR. Dept. Mech. Eng. 122 Latrobe Hall Johns Hopkins Univ. Baltimore, MD 21218 Ph: (410) 516-7101 sharpe@jhu.edu	NORMAN C. TIEN Dept. Elec. Comput. Eng. 3131 Engineering II Univ. of California Davis, CA 95616-5294 Ph: (530) 754-9267 nctien@ucdavis.edu
GARY K. FEDDER ECE Dept., & Robot. Inst. Carnegie Mellon Univ. Pittsburgh, PA 15213-3890 Ph: +1 412 268 8443 fedder@ece.cmu.edu	G. BENJAMIN HOCKER Principal Research Fellow Honeywell Technology Ctr. 12001 State Highway 55 Plymouth, MN 55441-4799 Ph: (763) 954-2745 benjamin.hocker@honeywell.com	ERNST OBERMEIER Dept. Elec. Eng. Microsens. & Microact. Technol. Technical Univ. of Berlin, TIB 3.1 Gustav-Meyer-Allee 25 D-13355 Berlin, Germany Ph: 49 30 314 727 69 oberm@mat.ee.tu-berlin.de	GÖRAN STEMME Dept. Signals, Sensors, & Syst. Royal Inst. of Technol. S-100 44 Stockholm, Sweden Ph: 46 8 7907787 stemme@s3.kth.se	

EDITORS EMERITUS

WOLFGANG BENECKE JAN FLUITMAN	ROGER T. HOWE HIROFUMI MIURA	ALBERT P. PISANO KURT PETERSEN	WILLIAM TRIMMER ROBERT O. WARRINGTON
----------------------------------	---------------------------------	-----------------------------------	---

PARTICIPATING ORGANIZATIONS: THE INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS, INC. AND AMERICAN SOCIETY OF MECHANICAL ENGINEERS

IEEE JOURNAL STEERING COMMITTEE

Electron Devices Society	Industrial Electronics Society	Robotics and Automation Society
ROGER T. HOWE University of California	METIN SITI University of California	PAOLO DARIO Scuola Superiore S. Anna
KENSALL D. WISE University of Michigan	REN C. LUO National Chung Cheng University	FUMIHIITO ARAI Nagoya University
MARTIN A. SCHMIDT Massachusetts Institute of Technology	HIDEKI HASHIMOTO University of Tokyo	JOHN HOLLERBACH University of Utah

AMERICAN SOCIETY OF MECHANICAL ENGINEERS

Dynamic Systems & Control Division
SUHADA JAYASURIYA, *Chairman*
CLARENCE DESILVA, *Vice Chairman*
EDUARDO A. MISAWA, *Secretary*
Oklahoma State University

IEEE Periodicals

Transactions/Journals Department

Staff Director: FRAN ZAPPULLA
Editorial Director: DAWN MELLEY
Production Director: ROBERT SMREK
Managing Editor: WILLIAM A. COLACCHIO

JOURNAL OF MICROELECTROMECHANICAL SYSTEMS (ISSN 1057-7157) is published bimonthly by The Institute of Electrical and Electronics Engineers, Inc. Responsibility for the contents rests upon the authors and not the IEEE, the Society/Council, or its members. **IEEE Corporate Office:** 3 Park Avenue, 17th Floor, New York, NY 10016-5997. **IEEE Operations Center:** 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331. **NJ Telephone:** +1 732 981 0060. **Price/Publication Information:** Individual copies: IEEE/ASME members \$10.00 (first copy only), nonmembers \$20.00 per copy. (Note: Add \$4.00 postage and handling charge to any order from \$1.00 to \$50.00, including prepaid orders.) Member and nonmember subscription prices available on request. Available in microfiche and microfilm. **Copyright and Reprint Permissions:** Abstracting is permitted with credit to the source. Libraries are permitted to photocopy for private use of patrons, provided the per-copy fee indicated in the code at the bottom of the first page is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For all other copying, reprint, or republication permission, write to Copyrights and Permissions Department, IEEE Publications Administration, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331. Copyright © 2003 by The Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Periodicals Postage Paid at New York, NY and at additional mailing offices. **Postmaster:** Send address changes to JOURNAL OF MICROELECTROMECHANICAL SYSTEMS, IEEE, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331./GST Registration No. 125634188. Printed in U.S.A.

Information for Authors

The JOURNAL OF MICROELECTROMECHANICAL SYSTEMS (JMEMS) is published bimonthly. The topics of interest for JMEMS include, but are not limited to: structures and devices whose largest dimensions are typically measured in micrometers (occasionally, in nanometers or millimeters); micro-sensors and microactuators; microrobotics; microtelemanipulation; fabrication techniques for MEMS structures; interfaces and compatibility issues for microelectronics and micromechanics; measurements, modeling, and theory for microphenomena; microtribology and microfluidics; materials for MEMS devices; standards appropriate to MEMS; and application examples for MEMS in any of a broad range of disciplines.

A. Procedure for Submission of Manuscript

Send four paper copies of the manuscript along with a brief introductory letter (that clearly identifies the corresponding author, preferably stating e-mail, fax, and post-office addresses) to the Editor-in-Chief: Richard S. Muller, BSAC/E ECS #1770, University of California, Berkeley, CA 94720-1770 USA. The submitted copies should include figures, but authors are asked to hold copies of original art work until after the paper has been reviewed and a notice that publication acceptance is recommended has been received by the corresponding author. A Subject Editor, assigned by the Editor-in-Chief, will carry out the paper review in as expeditious a fashion as possible. If the paper is recommended for acceptance, authors will be asked to supply the following material:

- three copies of final manuscript form to the Editor-in-Chief
- signed copyright transfer form to IEEE (Available at <http://www.ieee.org/copyright/>)
- author biography(ies) to IEEE
- author photograph(s) to IEEE
- original art work to IEEE (Art submitted electronically is only acceptable as: TIFF, PostScript, or EPS. Quality hard copies of all graphics must accompany the disk) (See also <http://www.ieee.org/organizations/pubs/transjour/graphguide/>).
- electronic version of final manuscript to IEEE (See G below).

B. Length and Style of Manuscript

- 1) Papers should be a maximum of 12–15 pages in length, double-spaced, typewritten or printed in 11 points or larger, plus up to 10 figures (six or fewer printed journal pages). Longer papers will be accepted if the added length makes a substantial contribution. Papers requiring major revision will be rejected, but if the author is invited by the Editor to resubmit it and the author provides an appropriate revision within six weeks, the paper retains its original submission date.
- 2) The first manuscript page should contain author name(s), affiliation(s), and a corresponding author's address, phone/FAX number, and e-mail address. If the corresponding author will be unavailable for a length of time, please include an alternate contact.
- 3) The paper should be written in correct English and convey ideas of importance to the micromechanics community. Please write the paper so that it is useful to both the expert and neophyte.
- 4) Provide a carefully worded abstract (a maximum of roughly 200 words) that answers the following questions. (a) What is the problem or topic discussed, and what is the scope of its treatment? (b) What is the unique approach or important contribution of the paper? (c) What is the solution, conclusion, principal result, or typical application?
- 5) Succeeding pages should contain, in order, the body of the paper, acknowledgments, references, biography, and figure captions on a separate sheet. All pages should be numbered with the first page being the title-abstract page.
- 6) References should be complete and follow IEEE style:
 - Style for Papers:* Author (with initials first), title, journal title, volume number, inclusive page numbers, month, year;
 - Style for Book:* Author, title. Location of publisher: year, page, or chapter number, if desired.
- 7) Please use the International System of Units, the MKS system, except where custom or clarity dictate other units.
- 8) Suggestions on organizing a paper, recommended abbreviations, etc. are contained in "Information for IEEE Transactions and Journal Authors," available from the IEEE Transactions/Journals Department, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331 USA, or by e-mail to trans@ieee.org or by FAX at 732-562-0545.

C. Style for Illustrations

Figures and photos should be original proofs and not photocopies. Photos must be glossy prints with no screens. Laser prints are not acceptable in place of photos or where gray scale graphics are involved. All line drawings and photos should be in black and white, unless color is specifically requested. Letters should be readily legible when the drawing is reduced to a 2 or 1 column width as much as 4:1 reduction from the original. All original materials should be larger than 22 × 28 cm (8 1/2 × 11 in.) Do not import electronic graphics into your paper. If color is to be reproduced, the corresponding author must agree to accept responsibility for payment of the costs for separations and printing before any processing of color graphics is performed. The corresponding author must provide a method of payment as well, either through their organization or credit card. The current costs for color reproduction is a flat printing fee of US\$1045.00 plus US\$125.00 per piece of color artwork. (Please note that this cost does not include the ordering of Reprints.)

D. Page Proofs

Page proofs are sent to the corresponding author immediately prior to publication of the paper. Minor and typographical errors should be noted, corrected, and returned according to the instructions enclosed with the proofs. Major changes to the author's manuscript will not, in general, be permitted.

E. Page Charges

After a manuscript has been accepted for publication, the author's institution will be requested to pay a charge of \$110 U.S. per printed page to cover part of the cost of publication. Page charges for this JOURNAL are not obligatory, nor is their payment a prerequisite for publication. The author will receive 100 free reprints without covers if the charge is honored. Detailed instructions will be provided with the page proofs.

F. Copyright

It is the policy of the IEEE to own the copyright to the technical contributions it publishes on behalf of the interests of the IEEE, its authors, and their employees and to facilitate the appropriate reuse of this material by others. To comply with U.S. Copyright Law, the authors are required to sign and return an IEEE Copyright Form before publication. This form returns to authors and their employees full rights to reuse their material for their own purposes.

G. Electronic Form of Final Manuscript

For the final printed production of the manuscript, the author will need to provide a disk (5 1/4" or 3 1/2") and three paper copies of the peer-approved version. Changes made to paper version must be incorporated into your electronic version and include an ASCII version of the file. Note the operating system (DOS, MAC, UNIX, etc.) and the software used on the label of the disk. Check that your files are complete including: abstract, text, references, footnotes, biographies, figures, and captions. IEEE will accept most commercial software programs. The preferred programs are TeX, LaTeX, and Word (use standard macros). LaTeX style and sample files and a template for Microsoft Word can be found at www.ieee.org/pubs/authors.html/. More information regarding electronic submission may be obtained by e-mail at help@ep.ieee.org [see 8] in Section B for other ways to contact IEEE.

Notify the editors of any special circumstances, such as pending clearance or previous publication. It is understood that the submitted paper is not simultaneously under consideration by another journal and previously published papers are normally not considered.